

Telephone: (716) 282-6950 Fax: (716) 282-6971

JANUARY 2023

# SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

PRODUCT NAME
Alumnia/Zirconia Resin Coated Abrasive
TRADE NAME

# SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE DESCRIPTION	PERCENT	CAS#
Aluminum Oxide, Non-fibrous Cloth or Paper Backing Cured PhenolFormaldehyde Resin	30.000- 40.000 20.000- 30.000 5.000- 10.000	N/A
Inorganic Fluorides ** Zirconium Oxide	1.000- 5.000 20.000- 30.000	NA

\*\* SUBSTANCE IS A COMPOUND AND/OR MIXTURE OTHER
Not Applicable

# SECTION 3. HAZARDS IDENTIFICATION

INHALATION ACUTE EXPOSURE EFFECTS
Dust may be slightly irritating to eyes and respiratory tract at high concentrations.
INHALATION CHRONIC EXPOSURE EFFECTS
Chronic: May affect breathing capacity.
For products containing phenol/formaldehyde resin, dust generated from intended use may contain trace amounts of phenol and formaldehyde which under excessive exposure may cause skin sensitization and airway obstruction.

For products containing inorganic fluorides,
excessive exposure to inorganic fluorides have been shown to increase
bone density.

EYE CONTACT ACUTE EXPOSURE EFFECTS

Dust may irritate eyes.

SKIN CONTACT ACUTE EXPOSURE EFFECTS

Some may experience skin irritation from dust.

INGESTION ACUTE EXPOSURE EFFECTS

No known adverse effects, but ingestion not recommended.

## SECTION 4. FIRST AID MEASURES

#### INHALATION

Remove to fresh air. If breathing has stopped, give artificial

4011 Hyde Park Blvd.
P. O. Box 1075
Niagara Falls, NY 14302-1075

Telephone: (716) 282-6950 Fax: (716) 282-6971

JANUARY 2023

respiration. Get medical attention immediately.

SKIN CONTACT

Wash affected areas with soap and water. Obtain medical assistance.

EYE CONTACT

Wash with large amounts of water. Obtain first aid and medical assistance, if needed.

INGESTION

Call poison control center, hospital emergency room or physician immediately.

# SECTION 5. FIRE FIGHTING MEASURES

FIRE FIGHTING PROCEDURES
Not Applicable
HAZARDOUS PRODUCTS/COMBUSTION
None.
HAZARD RATING SOURCE
NFPA
HEALTH
1
FLAMMABILITY
0
REACTIVITY
0
OTHER

## SECTION 6. ACCIDENTAL RELEASE MEASURES

CLEAN-UP

Follow normal clean up procedures.

## SECTION 7. HANDLING AND STORAGE

HANDLING

Handle with adequate ventilation for nuisance dust.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

VENTILATION PROTECTION

Recommend using local exhaust ventilation when general ventilation is not keeping the airborne concentration below the  ${\ TLV.}$ 

RESPIRATORY PROTECTION

Respirators are required when airborne contaminant levels exceed the  ${\ensuremath{\text{TLV}}}(s)$  .

EYE PROTECTION

4011 Hyde Park Blvd.
P. O. Box 1075
Niagara Falls, NY 14302-1075

Telephone: (716) 282-6950 Fax: (716) 282-6971

JANUARY 2023

Always WEAR SAFETY GLASSES or some type of eye protection while sanding.

OTHER PROTECTION

Use of this product may create elevated sound levels. Hearing protection should be worn where required (see OSHA 29 CFR 1910.134 and other applicable regulations).

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE & ODOR Solid article. Odorless.

# SECTION 10. STABILITY AND REACTIVITY

INCOMPATIBILITIES
Avoid acids of all types with a pH < 4.0.
DECOMPOSITION</pre>

In use, dust and decomposing odors may be generated. In most cases, the material removed from the workplace will be significantly greater than the sandpaper components.

## SECTION 11. TOXICOLOGICAL INFORMATION

CARCINOGENICITY
Not Applicable
LD50/LC50
Values are not appropriate or available.

## SECTION 12. ECOLOGICAL INFORMATION

CHEMICAL FATE

Resin bonded materials demonstrate similar degradation rates as phenolic plastics.

### SECTION 13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL

Use standard landfill methods consistent with applicable Federal, State, Provincial and local laws.

# SECTION 14. TRANSPORT INFORMATION



Telephone: (716) 282-6950 Fax: (716) 282-6971

JANUARY 2023

HAZARD CLASS

This product is not hazardous as defined by the Department of Transportation. (USA)

This product is "Not Regulated" under the Transportation of Dangerous Goods Act. (CAN)

## SECTION 15. REGULATORY INFORMATION

\_\_\_\_\_

#### EXPOSURE LIMITS/REGULATORY INFORMATION

SUBSTANCE DESCRIPTION	UNITS	OSHA	ACGIH	MOL		
Aluminum Oxide, Non-fibrous						
	MG/M3	15.0000	10.0000	10.0000		
Cloth or Paper Backing						
	PPM	0.0000	0.0000	0.0000		
Cured PhenolFormaldehyde Resin						
	PPM	0.0000	0.0000	0.0000		
Inorganic Fluorides						
	MG/M3	2.5000	2.5000	2.5000		
Zirconium Oxide						
	MG/M3	5.0000	5.0000	5.0000		

#### LEGEND:

EXPOSURE LIMIT DESCRIPTIONS
CA PROP 65
Not Applicable
TSCA
Section 8(b) - Inventory Status

All components of this product are registered under the regulations of the Toxic Substance Control Act.

DOMESTIC SUBSTANCE LIST

All components of this product are found on the Domestic Substance List.

### SECTION 16. OTHER INFORMATION

### DISCLAIMER

The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, the Company makes no warranty with respect to the accuracy of the information or the suitability of the recommendations, and assumes no liability to any user thereof.



Telephone: (716) 282-6950 Fax: (716) 282-6971

JANUARY 2023

KEY TO ABBREVIATIONS:

EQ=EQual LT=Less Than GT=Greater Than AP=APproximately TR=TRace ND=No Data avail

ND=No Data available