





200 X 193 mm "T" Slot Table



Inbuilt 10 Ltr coolant tank



Limit Switch



Door Safety Interlock



Cleaning Hose

Sliding Door System with two side opening
User Friendly for 3 Axis Operation
Cutting Action - Y Movement Automatic (Longitudinal)
Manual Washing facility
LED Jamp for cutting chamber

LED lamp for cutting chamber

Quick positioning rapid movement with Joystick facility
Intelligent Feed Control for Over Load of the Sample
Pulse Cutting to reduce heat of the hard material Specimen
Auto reverse Facility



EPOXY Coating Chamber

METCUT 8 Precision Cut Off Machine High Speed Saw

The Metcut 8 Precision High speed saw for cutting all types of materials with variable spindle speed. Automated Y movement adds to the convenience. A must for slicing Surface Engineered components, Hard, Sensitive applications. Preferred by Research Laboratories.



Control Panel with advance large color graphical touch screen

TECHNICAL SPECIFICATIONS

MODEL: METCUT 8

A precision section saw designed for cutting all types of sample automatically with ease with micron accuracies.

Wheel Size Upto 8" (203mm)

Diamond cutoff wheel Wheel type

Cutting Capacity Upto 50 mm

Y Movement Manual **Cutting Action** (Longitudinal)

Motor 2 Hp (1.5 Kw) 3 Phase

Table 200 x 193 mm with T slot

100 - 5000 RPM Variable Speed

Wheel Mounting Shaft OD 12.7 / 25.4 / 31.75mm

Dimensions 787 X 812 X 685 mm (L X W X H)

Weight 440 Lbs (200 kg)

Enclosures Glaze Grey 615 Colour

Base RAL 7021

40 mm Height Adjustment (Z – Movement) of Diamond wheel /Cut off Wheel allows of easy compensation for Wheel Wearing

Variable Feed Rates and Cutting Length

X- Movement facility (Manual) up to 50mm Inbuilt Recirculation Coolant System



Cam Vise



8" CBN Blades M845C

8" Resin Bond **Diamond Blades**

M845D



CBN Wafering Blades

Size: 4" - M412C

Size: 5" - M515C Size: 6" - M620C

Size: 7" - M725C



Diamond Wafering Blades

High Concentration Metal Bond

Size: 4" - M412H Size: 5" - M515H Size: 6" - M620H

Size: 7" - M725H



Diamond Wafering Blades

Low Concentration Metal Bond

Size: 4" - M412L

Size: 5" - M515L

Size: 6" - M620L

Size: 7" - M725L



CUTTING FLUID

CF-128

DS-1

DRESSING STICKS

