

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

## 1. IDENTIFICATION

**Product identifier:** Diamond Extender Blue Lube

## 2. HAZARD(S) IDENTIFICATION

### Hazard classification

#### Physical hazards

Flammable liquids Category 2

#### Health hazards

Carcinogenicity Category 1A

#### Environmental hazards

Acute hazards to the aquatic environment Category 2

### Label elements

**Signal word** Danger

### Hazard symbol



### Hazard statement

Poison: Vapor harmful; May be fatal or cause blindness if swallowed;  
Cannot be made nonpoisonous.  
Highly flammable liquid and vapor.  
Aspiration hazard if swallowed - can enter lungs and cause damage.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause cancer.  
Toxic to aquatic life.

### Precautionary statement

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

**Response** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If exposed or concerned: Get medical advice/attention. In case of fire: Use ... to extinguish.

**Storage** Store in a closed container. Store in well-ventilated place. Store locked up.

**Disposal** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal

### Other hazards which do not result in GHS classification

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
Ethanol		64-17-5	>=85 - <=100%
Methanol		67-56-1	>=0 - <=5%
Ethyl acetate		141-78-6	>=0 - <=2%
Methyl Isobutyl Ketone		108-10-1	>=0 - <=2%
Heptane		142-82-5	>=0 - <=2%

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments:** The components are not hazardous or are below required disclosure limits.

## 4. FIRST-AID MEASURES

**Ingestion:** Do NOT induce vomiting. Never give liquid to an unconscious person. Get medical attention immediately.

**Inhalation:** Move to fresh air. If breathing is difficult, give oxygen. Perform artificial respiration if breathing has stopped.

**Skin contact:** Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

**Eye contact:** If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

## 5. FIRE-FIGHTING MEASURES

General fire hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use: Powder, alcohol-resistant foam, water in large amounts, carbon dioxide.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: No data available.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: No data available.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: :

No data available.

Methods and material for containment and cleaning up

All equipment used when handling the product must be grounded. Eliminate sources of ignition. Absorb spillage with non-combustible, absorbent material. Dike for later disposal.

## 7. HANDLING AND STORAGE

Precautions for safe handling: Flammable/combustible - Keep away from oxidizers, heat and flames. Use only with adequate ventilation. Avoid breathing mists or vapors. Avoid contact with skin and eyes. Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities: No data available.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational exposure limits

Chemical identity	Type	Exposure Limit values	Source
Ethanol	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2013)
	REL	1,000 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	1,000 ppm	1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL		1,910 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		1,880 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		1,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		1,010 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	TWA PEL	1,000 ppm	1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
Methanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (03 2013)
	STEL	250 ppm		US. ACGIH Threshold Limit Values (03 2013)
	REL	200 ppm	260 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	REL	250 ppm	325 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
 P. O. Box 1075  
 Niagara Falls, NY 14302-1075  
 Telephone: (716) 282-6950  
 Fax: (716) 282-6971  
 www.metlabcorp.com

	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
	TWA	200 ppm	260 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	250 ppm	325 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm	260 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06
	STEL	250 ppm	325 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06
	ST ESL		2,620 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		2,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		262 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	Ceiling	1,000 ppm		US. California Code of Regulations, Title 8, Section 5155. Airborne
	TWA PEL	200 ppm	260 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne
	STEL	250 ppm	325 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne
Ethyl acetate	TWA	400 ppm		US. ACGIH Threshold Limit Values (03 2013)
	REL	400 ppm	1,400 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	400 ppm	1,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
				(02 2006)
	TWA	400 ppm	1,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm	1,400 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
 P. O. Box 1075  
 Niagara Falls, NY 14302-1075  
 Telephone: (716) 282-6950  
 Fax: (716) 282-6971  
 www.metlabcorp.com

	ST ESL		1,400 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		1,440 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		390 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		400 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	TWA PEL	400 ppm	1,400 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne
Methyl Isobutyl Ketone	TWA	20 ppm		US. ACGIH Threshold Limit Values (03 2013)
	STEL	75 ppm		US. ACGIH Threshold Limit Values (03 2013)
	REL	50 ppm	205 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	STEL	75 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	100 ppm	410 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
	TWA	50 ppm	205 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	75 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	50 ppm	205 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	75 ppm	300 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)

	AN ESL		82 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		700 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
 P. O. Box 1075  
 Niagara Falls, NY 14302-1075  
 Telephone: (716) 282-6950  
 Fax: (716) 282-6971  
 www.metlabcorp.com

	ST ESL		170 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		20 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	TWA PEL	50 ppm	205 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	STEL	75 ppm	300 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
Heptane	TWA		400 ppm	US. ACGIH Threshold Limit Values (03 2013)
	STEL		500 ppm	US. ACGIH Threshold Limit Values (03 2013)
	REL	85 ppm	350 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	Ceil_Tim e	440 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	STEL	500 ppm	2,000 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm	1,600 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	400 ppm	1,600 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	500 ppm	2,000 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL		2,750 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental

				Quality) (02 2013)
	AN ESL		350 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	ST ESL		670 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL		85 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

	TWA PEL	400 ppm 1,600 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)
	STEL	500 ppm 2,000 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)

## Biological limit values

Chemical identity	Exposure Limit values	Source
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)

## Appropriate engineering controls

No data available.

## Individual protection measures, such as personal protective equipment

General information:

No data available.

Eye/face protection:

No data available.

## Skin protection

Hand protection:

No data available.

Other:

No data available.

Respiratory protection:

No data available.

Hygiene measures:

No data available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Liquid

Form:

No data available.

Color:

No data available.

Odor:

No data available.

Odor threshold:

No data available.

pH:

No data available.

Melting point/freezing point:

No data available.

Initial boiling point and boiling range:

63 - 117 °C

Flash Point:

-6 °C

Evaporation rate:

No data available.

Flammability (solid, gas):

No data available.

## Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

No data available

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

No data available.

Vapor pressure:

No data available.

Vapor density:

No data available.



# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

## 10. STABILITY AND REACTIVITY

Reactivity:	No data available.
Chemical stability:	No data available.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	No data available.
Incompatible materials:	No data available.
Hazardous decomposition products:	No data available.

## 11. TOXICOLOGICAL INFORMATION

### Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin contact:	No data available.
Eye contact:	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure) Oral

Product:	ATEmix (): 3,176.057585 mg/kg
Dermal	
Product:	ATEmix (): 100,000.000005 mg/kg

#### Inhalation

Product:	No data available.
----------	--------------------

#### Specified substance(s):

Ethanol  
LC 50 (Mouse, 4 h): 39 mg/l LC 50 (Cat, ): 85.41 mg/l 2 (reliable with restrictions)  
LC 50 (Rat, ): 130.7 mg/l (, No) 2 (reliable with restrictions) LC 50 (Mouse, ): > 38  
mg/l 4 (not assignable) LC 50 (Rat, ): 54.8 mg/l (, No) 2 (reliable with restrictions)

#### Specified substance(s):

Methanol  
LC 50 (Rat, 4 h): 64,000 mg/l LC 50 (Cat, 6 h): 43.68 mg/l LC 50 (Cat, 4.5 h):  
85.41 mg/l LC 50 (Rat, 6 h): 87.5 mg/l LC 50 (Rat, ): > 115.9 mg/l (, No) 2 (reliable  
with restrictions)

#### Specified substance(s):

Ethyl acetate  
LD 50 (Mouse, 4 h): 1,500 mg/l

#### Specified substance(s):

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

Heptane

LD 50 (Mouse, 2 h): 75 mg/l LC 50 (Rat, ): > 73.5 mg/l (, No) 2 (reliable with restrictions)

### Repeated dose toxicity

**Product:** No data available.

#### Skin corrosion/irritation

**Product:** No data available.

#### Serious eye damage/eye irritation

**Product:** No data available.

#### Specified substance(s):

Methyl Isobutyl Ketone

Vapor was irritating to the eyes at 200 ppm.

### Respiratory or skin sensitization

**Product:** No data available.

### Carcinogenicity

**Product:** No data available.

#### IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Ethanol

Overall evaluation: 1. Carcinogenic to humans. Overall evaluation: 1. Carcinogenic to humans.

Methyl Isobutyl  
Ketone

Overall evaluation: 2B. Possibly carcinogenic to humans.

### US. National Toxicology Program (NTP) Report on Carcinogens:

Ethanol Known To Be Human Carcinogen.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

### Germ cell mutagenicity

#### In vitro

**Product:** No data available.

#### In vivo

**Product:** No data available.

### Reproductive toxicity

**Product:** No data available.

**Specific target organ toxicity - single exposure Product:** No data available.

**Specific target organ toxicity - repeated exposure Product:** No data available.

### Aspiration hazard

**Product:** No data available.

**Other effects:** No data available.

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

**Product:** No data available.

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

### Specified substance(s):

Ethanol	LC 50 (Fathead minnow (Pimephales promelas), 1 h): > 18,000 mg/l Mortality LC 50 (Zebra danio (Danio rerio), 2 h): > 100 mg/l Mortality LC 50 (Zebra danio (Danio rerio), 2 h): > 100 mg/l Mortality LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 4 d): 42 mg/l Mortality LC 50 (Zebra danio (Danio rerio), 4 h): > 100 mg/l Mortality
Methanol	LC 50 (Bluegill (Lepomis macrochirus), 24 h): 17,400 - 21,000 mg/l Mortality LC 50 (Rainbow trout,donaldson trout (Oncorhynchus mykiss), 24 h): 19,800 - 20,700 mg/l Mortality LC 50 (Fathead minnow (Pimephales promelas), 24 h): 29,000 - 30,500 mg/l Mortality LC 50 (Medaka, high-eyes (Oryzias latipes), 24 h): > 10,000 mg/l Mortality LC 50 (Medaka, high-eyes (Oryzias latipes), 48 h): 1,400 mg/l Mortality
Ethyl acetate	LC 50 (Indian catfish (Heteropneustes fossilis), 72 h): 212.94 - 237.73 mg/l Mortality LC 50 (Indian catfish (Heteropneustes fossilis), 96 h): 200.32 - 225.42 mg/l Mortality
Methyl Isobutyl Ketone	LC 50 (Carp (Leuciscus idus melanotus), 48 h): 672 mg/l Mortality LC 50 (Carp (Leuciscus idus melanotus), 48 h): 744 mg/l Mortality

### Aquatic invertebrates

**Product:** No data available.

#### Specified substance(s):

Ethanol	EC 50 (Water flea (Daphnia magna), 2 h): > 100 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 4 h): > 100 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 6 h): > 100 mg/l Intoxication EC 50 (Water flea (Daphnia obtusa), 24 h): 12,300 - 13,400 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 1.58 mg/l Intoxication
Methanol	EC 50 (Water flea (Daphnia obtusa), 24 h): 22,800 - 24,400 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia obtusa), 48 h): 21,100 - 23,400 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 48 h): 20,450 - 29,350 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication
Methyl Isobutyl Ketone	EC 50 (Water flea (Daphnia magna), 24 h): 3,682 mg/l Intoxication LC 50 (Brine shrimp (Artemia salina), 24 h): 1,230 mg/l Mortality LC 50 (Water flea (Daphnia magna), 24 h): 4,280 mg/l Mortality

### Chronic hazards to the aquatic environment: Fish

**Product:** No data available.

### Aquatic invertebrates

**Product:** No data available.

### Toxicity to Aquatic Plants

**Product:** No data available.

### Persistence and degradability Biodegradation

**Product:** No data available.

#### BOD/COD ratio

**Product:** No data available.

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

### Bioaccumulative potential Bioconcentration factor (BCF)

**Product:** No data available.  
**Specified substance(s):**  
Methanol Green algae (Chlorella fusca vacuolata), Bioconcentration factor (BCF): 28,400 (Static)  
Ethyl acetate Green algae (Chlorella fusca vacuolata), Bioconcentration factor (BCF): 13,500 (Static)

### Partition coefficient n-octanol / water (log Kow)

**Product:** No data available.  
**Specified substance(s):**  
Ethanol Log Kow: -0.31  
Methanol Log Kow: -0.77  
Ethyl acetate Log Kow: 0.73  
Methyl Isobutyl Ketone Log Kow: 1.31  
Heptane Log Kow: 4.66

**Mobility in soil:** No data available.

### Known or predicted distribution to environmental compartments

Ethanol No data available.  
Methanol No data available.  
Ethyl acetate No data available.  
4-Methylpentan-2-one No data available.  
Heptane No data available.

## 13. DISPOSAL CONSIDERATIONS

**Disposal instructions:** No data available.  
**Contaminated packaging:** No data available.

## 14. TRANSPORT INFORMATION

### DOT

UN number: UN 1170  
UN proper shipping name: Ethanol solutions  
Transport hazard class(es)  
Class: 3  
Label(s): 3  
Packing group: II  
Marine Pollutant: Not regulated.  
Special precautions for user: -

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

revision date JAN 2025



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

## 15. REGULATORY INFORMATION

### US federal regulations US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

### CERCLA Hazardous Substance List (40 CFR 302.4):

Methanol	Reportable quantity: 5000 lbs.
Ethyl acetate	Reportable quantity: 5000 lbs.
Methyl Isobutyl Ketone	Reportable quantity: 5000 lbs.
Heptane	Reportable quantity: 100 lbs.

### Superfund amendments and reauthorization act of 1986 (SARA)

#### Hazard categories

Not listed.

### SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

### SARA 304 Emergency release notification

<u>Chemical identity</u>	<u>RQ</u>
Methanol	5000 lbs.
Ethyl acetate	5000 lbs.
Methyl Isobutyl Ketone	5000 lbs.
Heptane	100 lbs.

### SARA 311/312 Hazardous chemical

<u>Chemical identity</u>	<u>Threshold Planning Quantity</u>
Ethanol	500 lbs
Methanol	500 lbs
Ethyl acetate	500 lbs
Methyl Isobutyl Ketone	500 lbs
Heptane	500 lbs

SARA 313 (TRI reporting)

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

ID# MIS7523877



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

Chemical identity	Reporting threshold for other users	Reporting threshold for manufacturing and processing
-------------------	-------------------------------------	--

Methanol	10000 lbs	25000 lbs.
Methyl Isobutyl Ketone	10000 lbs	25000 lbs.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

**None present or none present in regulated quantities.**

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

**None present or none present in regulated quantities.**

US state regulations

**US. California Proposition 65**

**WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.**

Ethanol	Carcinogenic.
Ethanol	Developmental toxin.
Methanol	Developmental toxin.
Methyl Isobutyl Ketone	Carcinogenic.

US. New Jersey Worker and Community Right-to-Know Act

Ethanol	Listed
Methanol	Listed
Ethyl acetate	Listed
Methyl Isobutyl Ketone	Listed
Heptane	Listed

US. Massachusetts RTK - Substance List

Ethanol	Listed
Methanol	Listed
Ethyl acetate	Listed
Methyl Isobutyl Ketone	Listed
Heptane	Listed

US. Pennsylvania RTK - Hazardous Substances

Ethanol	Listed
Methanol	Listed
Ethyl acetate	Listed
Methyl Isobutyl Ketone	Listed
Heptane	Listed

US. Rhode Island RTK

Methanol	Listed
Ethyl acetate	Listed
Methyl Isobutyl Ketone	Listed

# SAFETY DATA SHEET

## EMERGENCY CONTACT

1-800-255-3924

ID# MIS7523877



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
www.metlabcorp.com

### Inventory Status:

Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EU EINECS List:	Not in compliance with the inventory.
EU ELINCS List:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
EU No Longer Polymers List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION



### HMIS Hazard ID

Health	*	2
Flammability		3
Physical hazards		0
PERSONAL PROTECTION		K

K - Hood, Gloves, Protective Suit & Boots

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*Chronic health effect

### NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

# SAFETY DATA SHEET

## EMERGENCY CONTACT

**1-800-255-3924**

**ID# MIS7523877**



4011 Hyde Park Blvd.  
P. O. Box 1075  
Niagara Falls, NY 14302-1075  
Telephone: (716) 282-6950  
Fax: (716) 282-6971  
[www.metlabcorp.com](http://www.metlabcorp.com)

### Notice

Metlab Corp expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.